

```
# TABLE: (0)
# NWConfVersion = 28
#
# ServerRoot: The top of the directory tree under which the server's
# configuration, error, and log files are kept.
#
# NOTE! If you intend to place this on an NFS (or otherwise network)
# mounted filesystem then please read the LockFile documentation
# (available at <URL:http://httpd.apache.org/docs-2.0/mod/core.html#lockfile>);
# you will save yourself a lot of trouble.
#
# Do NOT add a slash at the end of the directory path.
#
ServerRoot "SYS:/APACHE2"
#
# Timeout: The number of seconds before receives and sends time out.
#
Timeout 300
#
# KeepAlive: Whether or not to allow persistent connections (more than
# one request per connection). Set to "Off" to deactivate.
#
KeepAlive On
#
# MaxKeepAliveRequests: The maximum number of requests to allow
# during a persistent connection. Set to 0 to allow an unlimited amount.
# We recommend you leave this number high, for maximum performance.
#
MaxKeepAliveRequests 100
#
# KeepAliveTimeout: Number of seconds to wait for the next request from the
# same client on the same connection.
#
KeepAliveTimeout 15
# NetWare MPM
# ThreadStackSize: Stack size allocated for each worker thread
# StartThreads: Number of worker threads launched at server startup
# MinSpareThreads: Minimum number of idle threads, to handle request spikes
# MaxSpareThreads: Maximum number of idle threads
# MaxThreads: Maximum number of worker threads alive at the same time
# MaxRequestsPerChild: Maximum number of requests a thread serves. It is
# recommended that the default value of 0 be set for this
# directive on NetWare. This will allow the thread to
# continue to service requests indefinitely.
ThreadStackSize 65536
StartThreads 25
```

```
MinSpareThreads 10
MaxSpareThreads 50
MaxThreads 1024
MaxRequestsPerChild 0
MaxMemFree 100
#
# Listen: Allows you to bind Apache to specific IP addresses and/or
# ports, in addition to the default. See also the <VirtualHost>
# directive.
#
# Change this to Listen on specific IP addresses as shown below to
# prevent Apache from glomming onto all bound IP addresses (0.0.0.0)
#
#Listen 12.34.56.78:80
Listen 80
SecureListen 443 "SSL CertificateDNS"
#
# ServerAdmin: Your address, where problems with the server should be
# e-mailed. This address appears on some server-generated pages, such
# as error documents. e.g. admin@your-domain.com
#
ServerAdmin you@your.address
#
# ServerName gives the name and port that the server uses to identify itself.
# This can often be determined automatically, but we recommend you specify
# it explicitly to prevent problems during startup.
#
# If this is not set to valid DNS name for your host, server-generated
# redirections will not work. See also the UseCanonicalName directive.
#
# If your host doesn't have a registered DNS name, enter its IP address here.
# You will have to access it by its address anyway, and this will make
# redirections work in a sensible way.
#
ServerName FS1.mail.threewscertification.com
#
# Dynamic Shared Object (DSO) Support
#
# To be able to use the functionality of a module which was built as a DSO you
# have to place corresponding `LoadModule' lines at this location so the
# directives contained in it are actually available _before_ they are used.
# Statically compiled modules (those listed by `httpd -l') do not need
# to be loaded here.
#
# Example:
# LoadModule foo_module modules/mod_foo.so
```

```
#
#LoadModule auth_anon_module modules/authanon.nlm
#LoadModule auth_dbm_module modules/authdbm.nlm
#LoadModule auth_digest_module modules/digest.nlm
#LoadModule cern_meta_module modules/cernmeta.nlm
#LoadModule dav_module modules/mod_dav.nlm
#LoadModule dav_fs_module modules/moddavfs.nlm
#LoadModule expires_module modules/expires.nlm
#LoadModule file_cache_module modules/filecach.nlm
#LoadModule headers_module modules/headers.nlm
#LoadModule info_module modules/info.nlm
#LoadModule mime_magic_module modules/mimemagi.nlm
#LoadModule proxy_module modules/proxy.nlm
#LoadModule proxy_connect_module modules/proxycon.nlm
#LoadModule proxy_http_module modules/proxyhttp.nlm
#LoadModule proxy_ftp_module modules/proxyftp.nlm
#LoadModule rewrite_module modules/rewrite.nlm
#LoadModule speling_module modules/speling.nlm
#LoadModule status_module modules/status.nlm
#LoadModule unique_id_module modules/uniqueid.nlm
#LoadModule usertrack_module modules/usertrk.nlm
#LoadModule vhost_alias_module modules/vhost.nlm
#LoadModule edir_module modules/mod_edir.nlm
#
# UseCanonicalName: Determines how Apache constructs self-referencing
# URLs and the SERVER_NAME and SERVER_PORT variables.
# When set "Off", Apache will use the Hostname and Port supplied
# by the client. When set "On", Apache will use the value of the
# ServerName directive.
#
UseCanonicalName Off
#
# DocumentRoot: The directory out of which you will serve your
# documents. By default, all requests are taken from this directory, but
# symbolic links and aliases may be used to point to other locations.
#
DocumentRoot "SYS:/APACHE2/htdocs"
#
# DirectoryIndex: sets the file that Apache will serve if a directory
# is requested.
#
# The index.html.var file (a type-map) is used to deliver content-
# negotiated documents. The MultiViews Option can be used for the
# same purpose, but it is much slower.
#
DirectoryIndex index.html index.html.var
```

```
#
# AccessFileName: The name of the file to look for in each directory
# for additional configuration directives. See also the AllowOverride
# directive.
#
AccessFileName .htaccess
#
# TypesConfig describes where the mime.types file (or equivalent) is
# to be found.
#
TypesConfig conf/mime.types
#
# DefaultType is the default MIME type the server will use for a document
# if it cannot otherwise determine one, such as from filename extensions.
# If your server contains mostly text or HTML documents, "text/plain" is
# a good value. If most of your content is binary, such as applications
# or images, you may want to use "application/octet-stream" instead to
# keep browsers from trying to display binary files as though they are
# text.
#
DefaultType text/plain
#
# HostnameLookups: Log the names of clients or just their IP addresses
# e.g., www.apache.org (on) or 204.62.129.132 (off).
# The default is off because it'd be overall better for the net if people
# had to knowingly turn this feature on, since enabling it means that
# each client request will result in AT LEAST one lookup request to the
# nameserver.
#
HostnameLookups Off
#
# ErrorLog: The location of the error log file.
# If you do not specify an ErrorLog directive within a <VirtualHost>
# container, error messages relating to that virtual host will be
# logged here. If you *do* define an error logfile for a <VirtualHost>
# container, that host's errors will be logged there and not here.
#
ErrorLog "|SYS:/APACHE2/bin/rotlogs.nlm sys:/apache2/logs/error_log 5M"
#
# LogLevel: Control the number of messages logged to the error_log.
# Possible values include: debug, info, notice, warn, error, crit,
# alert, emerg.
#
LogLevel warn
#
# The following directives define some format nicknames for use with
```

```
# a CustomLog directive (see below).
#
LogFormat "%h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-Agent}i\""
combined
LogFormat "%h %l %u %t \"%r\" %>s %b" common
LogFormat "%{Referer}i -> %U" referer
LogFormat "%{User-agent}i" agent
#
# The location and format of the access logfile (Common Logfile Format).
# If you do not define any access logfiles within a <VirtualHost>
# container, they will be logged here. Contrariwise, if you *do*
# define per-<VirtualHost> access logfiles, transactions will be
# logged therein and *not* in this file.
#
CustomLog "|sys:/apache2/bin/rotlogs.nlm sys:/apache2/logs/access_log 5M" common
#
# Optionally add a line containing the server version and virtual host
# name to server-generated pages (internal error documents, FTP directory
# listings, mod_status and mod_info output etc., but not CGI generated
# documents or custom error documents).
# Set to "EMail" to also include a mailto: link to the ServerAdmin.
# Set to one of: On | Off | EMail
#
ServerSignature On
#
# Aliases: Add here as many aliases as you need (with no limit). The format is
# Alias fakename realname
#
# Note that if you include a trailing / on fakename then the server will
# require it to be present in the URL. So "/icons" isn't aliased in this
# example, only "/icons/". If the fakename is slash-terminated, then the
# realname must also be slash terminated, and if the fakename omits the
# trailing slash, the realname must also omit it.
#
# We include the /icons/ alias for FancyIndexed directory listings. If you
# do not use FancyIndexing, you may comment this out.
#
Alias /icons/ "SYS:/APACHE2/icons/"
AliasMatch ^/manual(?:/(?:de|en|fr|ja|ko|ru))?(/*)?:$ "SYS:/APACHE2/manual$1"
Alias /error/ "SYS:/APACHE2/error/"
#
# ScriptAlias: This controls which directories contain server scripts.
# ScriptAliases are essentially the same as Aliases, except that
# documents in the realname directory are treated as applications and
# run by the server when requested rather than as documents sent to the client.
# The same rules about trailing "/" apply to ScriptAlias directives as to
```

```
# Alias.
#
ScriptAlias /cgi-bin/ "SYS:/APACHE2/cgi-bin/"
#
# IndexOptions: Controls the appearance of server-generated directory
# listings.
#
IndexOptions FancyIndexing VersionSort
#
# AddIcon* directives tell the server which icon to show for different
# files or filename extensions. These are only displayed for
# FancyIndexed directories.
#
AddIconByEncoding (CMP,/icons/compressed.gif) x-compress x-gzip
AddIconByType (TXT,/icons/text.gif) text/*
AddIconByType (IMG,/icons/image2.gif) image/*
AddIconByType (SND,/icons/sound2.gif) audio/*
AddIconByType (VID,/icons/movie.gif) video/*
AddIcon /icons/binary.gif .bin .exe
AddIcon /icons/binhex.gif .hqx
AddIcon /icons/tar.gif .tar
AddIcon /icons/world2.gif .wrl .wrl.gz .vrml .vrm .iv
AddIcon /icons/compressed.gif .Z .z .tgz .gz .zip
AddIcon /icons/a.gif .ps .ai .eps
AddIcon /icons/layout.gif .html .shtml .htm .pdf
AddIcon /icons/text.gif .txt
AddIcon /icons/c.gif .c
AddIcon /icons/p.gif .pl .py
AddIcon /icons/f.gif .for
AddIcon /icons/dvi.gif .dvi
AddIcon /icons/uuencoded.gif .uu
AddIcon /icons/script.gif .conf .sh .shar .csh .ksh .tcl
AddIcon /icons/tex.gif .tex
AddIcon /icons/bomb.gif core
AddIcon /icons/back.gif ..
AddIcon /icons/hand.right.gif README
AddIcon /icons/folder.gif ^^DIRECTORY^^
AddIcon /icons/blank.gif ^^BLANKICON^^
#
# DefaultIcon is which icon to show for files which do not have an icon
# explicitly set.
#
DefaultIcon /icons/unknown.gif
#
# ReadmeName is the name of the README file the server will look for by
# default, and append to directory listings.
```

```
#
# HeaderName is the name of a file which should be prepended to
# directory indexes.
ReadmeName README.html
HeaderName HEADER.html
#
# IndexIgnore is a set of filenames which directory indexing should ignore
# and not include in the listing. Shell-style wildcarding is permitted.
#
IndexIgnore .??" *~ *# HEADER* README* RCS CVS *,v *,t
#
# AddEncoding allows you to have certain browsers (Mosaic/X 2.1+) uncompress
# information on the fly. Note: Not all browsers support this.
# Despite the name similarity, the following Add* directives have nothing
# to do with the FancyIndexing customization directives above.
#
AddEncoding x-compress Z
AddEncoding x-gzip gz tgz
#
# DefaultLanguage and AddLanguage allows you to specify the language of
# a document. You can then use content negotiation to give a browser a
# file in a language the user can understand.
#
# Specify a default language. This means that all data
# going out without a specific language tag (see below) will
# be marked with this one. You probably do NOT want to set
# this unless you are sure it is correct for all cases.
#
# * It is generally better to not mark a page as
# * being a certain language than marking it with the wrong
# * language!
#
# DefaultLanguage nl
#
# Note 1: The suffix does not have to be the same as the language
# keyword --- those with documents in Polish (whose net-standard
# language code is pl) may wish to use "AddLanguage pl .po" to
# avoid the ambiguity with the common suffix for perl scripts.
#
# Note 2: The example entries below illustrate that in some cases
# the two character 'Language' abbreviation is not identical to
# the two character 'Country' code for its country,
# E.g. 'Danmark/dk' versus 'Danish/da'.
#
# Note 3: In the case of 'ltz' we violate the RFC by using a three char
# specifier. There is 'work in progress' to fix this and get
```

```
# the reference data for rfc1766 cleaned up.
#
# Catalan (ca) - Croatian (hr) - Czech (cs) - Danish (da) - Dutch (nl)
# English (en) - Esperanto (eo) - Estonian (et) - French (fr) - German (de)
# Greek-Modern (el) - Hebrew (he) - Italian (it) - Japanese (ja)
# Korean (ko) - Luxembourgish* (ltz) - Norwegian Nynorsk (nn)
# Norwegian (no) - Polish (pl) - Portuguese (pt)
# Brazilian Portuguese (pt-BR) - Russian (ru) - Swedish (sv)
# Simplified Chinese (zh-CN) - Spanish (es) - Traditional Chinese (zh-TW)
#
AddLanguage ca .ca
AddLanguage cs .cz .cs
AddLanguage da .dk
AddLanguage de .de
AddLanguage el .el
AddLanguage en .en
AddLanguage eo .eo
AddLanguage es .es
AddLanguage et .et
AddLanguage fr .fr
AddLanguage he .he
AddLanguage hr .hr
AddLanguage it .it
AddLanguage ja .ja
AddLanguage ko .ko
AddLanguage ltz .ltz
AddLanguage nl .nl
AddLanguage nn .nn
AddLanguage no .no
AddLanguage pl .po
AddLanguage pt .pt
AddLanguage pt-BR .pt-br
AddLanguage ru .ru
AddLanguage sv .sv
AddLanguage zh-CN .zh-cn
AddLanguage zh-TW .zh-tw
#
# LanguagePriority allows you to give precedence to some languages
# in case of a tie during content negotiation.
#
# Just list the languages in decreasing order of preference. We have
# more or less alphabetized them here. You probably want to change this.
#
LanguagePriority en ca cs da de el eo es et fr he hr it ja ko ltz nl nn no pl pt pt-BR ru sv
zh-CN zh-TW
#
```



```
# ForceLanguagePriority allows you to serve a result page rather than
# MULTIPLE CHOICES (Prefer) [in case of a tie] or NOT ACCEPTABLE (Fallback)
# [in case no accepted languages matched the available variants]
#
ForceLanguagePriority Prefer Fallback
#
# Specify a default charset for all pages sent out. This is
# always a good idea and opens the door for future internationalisation
# of your web site, should you ever want it. Specifying it as
# a default does little harm; as the standard dictates that a page
# is in iso-8859-1 (latin1) unless specified otherwise i.e. you
# are merely stating the obvious. There are also some security
# reasons in browsers, related to javascript and URL parsing
# which encourage you to always set a default char set.
#
AddDefaultCharset ISO-8859-1
#
# Commonly used filename extensions to character sets. You probably
# want to avoid clashes with the language extensions, unless you
# are good at carefully testing your setup after each change.
# See ftp://ftp.isi.edu/in-notes/iana/assignments/character-sets for
# the official list of charset names and their respective RFCs
#
AddCharset ISO-8859-1 .iso8859-1 .latin1
AddCharset ISO-8859-2 .iso8859-2 .latin2 .cen
AddCharset ISO-8859-3 .iso8859-3 .latin3
AddCharset ISO-8859-4 .iso8859-4 .latin4
AddCharset ISO-8859-5 .iso8859-5 .latin5 .cyr .iso-ru
AddCharset ISO-8859-6 .iso8859-6 .latin6 .arb
AddCharset ISO-8859-7 .iso8859-7 .latin7 .grk
AddCharset ISO-8859-8 .iso8859-8 .latin8 .heb
AddCharset ISO-8859-9 .iso8859-9 .latin9 .trk
AddCharset ISO-2022-JP .iso2022-jp .jis
AddCharset ISO-2022-KR .iso2022-kr .kis
AddCharset ISO-2022-CN .iso2022-cn .cis
AddCharset Big5 .Big5 .big5
# For russian, more than one charset is used (depends on client, mostly):
AddCharset WINDOWS-1251 .cp-1251 .win-1251 .ru
AddCharset CP866 .cp866
AddCharset KOI8-r .koi8-r .koi8-ru
AddCharset KOI8-ru .koi8-uk .ua
AddCharset ISO-10646-UCS-2 .ucs2
AddCharset ISO-10646-UCS-4 .ucs4
AddCharset UTF-8 .utf8
# The set below does not map to a specific (iso) standard
# but works on a fairly wide range of browsers. Note that
```

```
# capitalization actually matters (it should not, but it
# does for some browsers).
#
# See ftp://ftp.isi.edu/in-notes/iana/assignments/character-sets
# for a list of sorts. But browsers support few.
#
AddCharset GB2312 .gb2312 .gb
AddCharset utf-7 .utf7
AddCharset utf-8 .utf8
AddCharset big5 .big5 .b5
AddCharset EUC-TW .euc-tw
AddCharset EUC-JP .euc-jp
AddCharset EUC-KR .euc-kr
AddCharset shift_jis .sjis
#
# AddType allows you to add to or override the MIME configuration
# file mime.types for specific file types.
#
AddType application/x-tar .tgz
AddType image/x-icon .ico
#
# AddHandler allows you to map certain file extensions to "handlers":
# actions unrelated to filetype. These can be either built into the server
# or added with the Action directive (see below)
#
# To use CGI scripts outside of ScriptAliased directories:
# (You will also need to add "ExecCGI" to the "Options" directive.)
#
#AddHandler cgi-script .cgi
#
# For files that include their own HTTP headers:
#
#AddHandler send-as-is asis
#
# For server-parsed imagemap files:
#
#AddHandler imap-file map
#
# For type maps (negotiated resources):
# (This is enabled by default to allow the Apache "It Worked" page
# to be distributed in multiple languages.)
#
AddHandler type-map var
#
# Action lets you define media types that will execute a script whenever
# a matching file is called. This eliminates the need for repeated URL
```

```
# pathnames for oft-used CGI file processors.
# Format: Action media/type /cgi-script/location
# Format: Action handler-name /cgi-script/location
#
#
# Customizable error responses come in three flavors:
# 1) plain text 2) local redirects 3) external redirects
#
# Some examples:
#ErrorDocument 500 "The server made a boo boo."
#ErrorDocument 404 /missing.html
#ErrorDocument 404 "/cgi-bin/missing_handler.pl"
#ErrorDocument 402 http://www.example.com/subscription_info.html
#
#
# Putting this all together, we can internationalize error responses.
#
# We use Alias to redirect any /error/HTTP_<error>.html.var response to
# our collection of by-error message multi-language collections. We use
# includes to substitute the appropriate text.
#
# You can modify the messages' appearance without changing any of the
# default HTTP_<error>.html.var files by adding the line:
#
# Alias /error/include/ "/your/include/path/"
#
# which allows you to create your own set of files by starting with the
# SYS:/APACHE2/error/include/ files and copying them to /your/include/path/,
# even on a per-VirtualHost basis. The default include files will display
# your Apache version number and your ServerAdmin email address regardless
# of the setting of ServerSignature.
#
# The internationalized error documents require mod_alias, mod_include
# and mod_negotiation.
ErrorDocument 400 /error/HTTP_BAD_REQUEST.html.var
ErrorDocument 401 /error/HTTP_UNAUTHORIZED.html.var
ErrorDocument 403 /error/HTTP_FORBIDDEN.html.var
ErrorDocument 404 /error/HTTP_NOT_FOUND.html.var
ErrorDocument 405 /error/HTTP_METHOD_NOT_ALLOWED.html.var
ErrorDocument 408 /error/HTTP_REQUEST_TIME_OUT.html.var
ErrorDocument 410 /error/HTTP_GONE.html.var
ErrorDocument 411 /error/HTTP_LENGTH_REQUIRED.html.var
ErrorDocument 412 /error/HTTP_PRECONDITION_FAILED.html.var
ErrorDocument 413 /error/HTTP_REQUEST_ENTITY_TOO_LARGE.html.var
ErrorDocument 414 /error/HTTP_REQUEST_URI_TOO_LARGE.html.var
ErrorDocument 415 /error/HTTP_UNSUPPORTED_MEDIA_TYPE.html.var
```

```
ErrorDocument 500 /error/HTTP_INTERNAL_SERVER_ERROR.html.var
ErrorDocument 501 /error/HTTP_NOT_IMPLEMENTED.html.var
ErrorDocument 502 /error/HTTP_BAD_GATEWAY.html.var
ErrorDocument 503 /error/HTTP_SERVICE_UNAVAILABLE.html.var
ErrorDocument 506 /error/HTTP_VARIANT_ALSO_VARIES.html.var
#
# The following directives modify normal HTTP response behavior to
# handle known problems with browser implementations.
#
BrowserMatch "Mozilla/2" nokeepalive
BrowserMatch "MSIE 4\.0b2;" nokeepalive downgrade-1.0 force-response-1.0
BrowserMatch "RealPlayer 4\.0" force-response-1.0
BrowserMatch "Java/1\.0" force-response-1.0
BrowserMatch "JDK/1\.0" force-response-1.0
BrowserMatch "Microsoft Data Access Internet Publishing Provider" redirect-carefully
BrowserMatch "^WebDrive" redirect-carefully
BrowserMatch "^WebDAVFS/1.[012]" redirect-carefully
# The following line instructs Apache to load the jk module
# Include the welcome page configuration
Include "SYS:/adminsrv/webapps/welcome/web-inf/welcome-apache.conf"
# This is to work around a bug in IE that doesn't handle the server shutting
# down keepalive requests on secure sockets
Include sys:/tomcat/4/conf/tomcatdocs-apache.conf
Include sys:/tomcat/4/conf/tomcatadmin-apache.conf
Include sys:/tomcat/4/conf/tomcatmanager-apache.conf
##### Begin Novell iPrint configuration #####
include iprint/ipp.conf
##### End Novell iPrint configuration #####
include "SYS:/NSearch/WEB-INF/NSSrchApache.conf"
include sys:\apache2\ifolder\server\httpd_ifolder_nw.conf
# Include XTier configuration file
Include sys:/netstorage/xsrv.conf
# NetWare iManager Config
Include sys:/tomcat/4/conf/nps-Apache.conf
# Virtual Office Config
##### Begin Novell eGuide configuration #####
include "SYS:/tomcat/4/webapps/eGuide/WEB-INF/eGuide-apache.conf"
##### End Novell eGuide configuration #####
Listen 10.0.0.125:12500
# TABLE: (1)
LoadModule ldap_module modules/utilldap.nlm
LoadModule auth_ldap_module modules/authldap.nlm
LoadModule jk_module modules/mod_jk.nlm
LoadModule rewrite_module modules/rewrite.nlm
LoadModule rewrite_module modules/rewrite.nlm
# TABLE: (2)
```

```
<Directory />
#
# Each directory to which Apache has access can be configured with respect
# to which services and features are allowed and/or disabled in that
# directory (and its subdirectories).
#
# First, we configure the "default" to be a very restrictive set of
# features.
#
Options FollowSymLinks
AllowOverride None
</Directory>
<Directory "SYS:/APACHE2/htdocs">
#
# This should be changed to whatever you set DocumentRoot to.
#
Options Indexes FollowSymLinks
AllowOverride None
Order allow,deny
Allow from all
</Directory>
<Files ~ "^\.ht">
#
# This files block prevent .htaccess and .htpasswd files from being
# viewed by Web clients.
#
Order allow,deny
Deny from all
</Files>
<Directory "SYS:/APACHE2/icons">
Options Indexes MultiViews
AllowOverride None
Order allow,deny
Allow from all
</Directory>
<Directory "SYS:/APACHE2/manual">
#
# This should be changed to the ServerRoot/manual/. The Alias directive provides
# the manual, even if you choose to move your DocumentRoot. You may comment
# this out if you do not care for the documentation.
#
Options Indexes
AllowOverride None
Order allow,deny
Allow from all
<Files *.html>
```

```
SetHandler type-map
</Files>
SetEnvIf Request_URI ^/manual/de/ prefer-language=de
SetEnvIf Request_URI ^/manual/en/ prefer-language=en
SetEnvIf Request_URI ^/manual/fr/ prefer-language=fr
SetEnvIf Request_URI ^/manual/ja/ prefer-language=ja
SetEnvIf Request_URI ^/manual/ko/ prefer-language=ko
SetEnvIf Request_URI ^/manual/ru/ prefer-language=ru
RedirectMatch 301 ^/manual(?:/(de|en|fr|ja|ko|ru)){2,}/(.*)?$ /manual/$1$2
</Directory>
<Directory "SYS:/APACHE2/cgi-bin">
#
# "SYS:/APACHE2/cgi-bin" should be changed to whatever your ScriptAliased
# CGI directory exists, if you have that configured.
#
AllowOverride None
Options None
Order allow,deny
Allow from all
</Directory>
<Directory "SYS:/APACHE2/error">
AllowOverride None
Options IncludesNoExec
AddOutputFilter Includes html
AddHandler type-map var
Order allow,deny
Allow from all
LanguagePriority en es de fr
ForceLanguagePriority Prefer Fallback
</Directory>

# SOURCE OBJECT: cn=3Ws-Directory,cn=FS1,cn=NetWare Group,cn=Apache
Group,o=3wscertification

<Directory DATA:/3Ws>
Options Indexes Multiviews
AllowOverride None
Order deny,allow
Allow from all
</Directory>
# TABLE: (3)
<VirtualHost _default_:443>
BrowserMatch "MSIE" nokeepalive downgrade-1.0 force-response-1.0
# Virtual Office Config
RewriteEngine on
```

```
RewriteRule ^/vo.*
https://% {HTTP_HOST}/nps/servlet/portalservice?NPService=iManagerContainer&goto
NPS=true [R,L]
</VirtualHost>
# TABLE: (4)
<IfModule mod_jk.c>
JkWorkersFile "sys:/adminsrv/conf/mod_jk/workers.properties"
JkLogFile "logs/mod_jk.log"
JkLogLevel error
</IfModule>
# TABLE: (5)
<IfModule mod_dir.c>
eDirServer FS1.mail.threewscertification.com
hDirUserSubDirectory public_html
RemoteDirEnabled off
</IfModule>
# TABLE: (6)
<IfModule mod_auth_ldap.c>
#
#This directive specifies the file that contains all of the character set information
#that auth_ldap needs to do the charset conversions
#
AuthLDAPCharsetConfig conf/charset.conv
</IfModule>
# TABLE: (7)
<IfModule mod_mime_magic.c>
#
# The mod_mime_magic module allows the server to use various hints from the
# contents of the file itself to determine its type. The MIMEMagicFile
# directive tells the module where the hint definitions are located.
#
MIMEMagicFile conf/magic
</IfModule>
# TABLE: (8)
<IfModule !mod_rewrite.c>
</IfModule>
# TABLE: (9)
<IfModule mod_rewrite.c>
RewriteEngine on
RewriteRule ^/vo.*
https://% {HTTP_HOST}/nps/servlet/portalservice?NPService=iManagerContainer&goto
NPS=true [R,L]
</IfModule>
```